Windows®. Life without Walls™. Fujitsu recommends Windows 7.



Data Sheet Fujitsu LIFEBOOK S710 Notebook

Your Best Friend on the Move

The LIFEBOOK S710 offers the perfect balance between low weight and high-end performance. Weighing only 2.15kg it is one of the lightest modular 35.6 cm (14-inch) notebooks. A flexible modular bay and an excellent battery life enable convenient working. Integrated 3G/UMTS and the optional webcam enable connectivity anytime, anywhere.

Ergonomic working

Enjoy constant access to all your data thanks to a versatile mobile device.

■ Lean, lightweight notebook weighing only 2.15 kg with a 35.6 cm (14-inch) HD display with LED backlight, with up to 14 hours running time with a second battery



Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

■ Integrated DisplayPort, eSATA, FireWire, optional integrated 3G/UMTS, WLAN and Bluetooth



Secure and effective working for the most demanding of users in every kind of situation.

■ Spill-resistant keyboard and further innovative highlights

Maximum security

Protect your company data against unauthorized third-party access.

 Benefit from our end-to-end anti-theft concept and system and user protection, such as Computrace® enabled BIOS, integrated SmartCard slot, optional fingerprint sensor, TPM module and SmartCase Logon+

Safety

Protect your company data against unauthorized third-party access.

■ Benefit from our holistic concept of theft protection plus system and user security.























Components

| Base unit | LIFEBOOK S710 14.0-inch Fingerprint LIFEBOOK S710 14.0-inch | | | |
|-----------------------------------|---|--|--|--|
| | ·· g ···- | | | |
| | Weight saver | | | |
| | DVD Super Multi | | | |
| Modular bay options | 2nd battery 2nd hard disk drive | | | |
| | 35.6 cm (14-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m | | | |
| Display | Sierra Wireless Gobi 2000 (UMTS downlink speed 7.2 Mbit/s, UMTS uplink speed 5.76 Mbit/s) | | | |
| BG/UMTS (optional) | | | | |
| WLAN notes | Import and usage according to country-specific regulations. | | | |
| Bluetooth | 2 duai band antennas, 2 UMTS antennas, 1 Bluetooth antenna Bluetooth 2.1 | | | |
| wireiess technologies Antennas | 2 dual band antennas, 2 UMTS antennas, 1 Bluetooth antenna | | | |
| Wireless technologies | , | | | |
| Dar (opaoliai) | Intel® Centrino® 6200 802.11 a/b/g/n | | | |
| WLAN (optional) | Atheros Minicard b/g/n | | | |
| disk notes | Accessible capacity may vary, also depending on used software | | | |
| Hard disk notes | One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. | | | |
| | FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. | | | |
| | SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. | | | |
| | SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. | | | |
| | SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. | | | |
| iaia aiskanves (interital) | SATA, 720 GB, 2.5-inch, S.M.A.R.T. | | | |
| Hard disk drives (internal) | SSD SATA, 128 GB, 2.5-inch, S.M.A.R.T. | | | |
| Memory notes | DDR3 - 1066 MHz | | | |
| Memory slot type | DIMM (DDR3) | | | |
| Memory slots total | 2 | | | |
| Supported capacity RAM (max.) | 8 GB | | | |
| Base unit memory | LIFEBOOK S710 14.0-inch Fingerprint LIFEBOOK S710 14.0-inch | | | |
| | 4 GB (1 module(s) 4 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM | | | |
| Memory modules | 2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM | | | |
| | Buy Microsoft® Office 2010 to use the full-featured Office software on this PC. | | | |
| | Microsoft Office 2007 ready | | | |
| operacing system notes | Dependent on configuration Windows 7® versions are: | | | |
| Operating system notes | Driver support for Microsoft® Windows® XP | | | |
| Operating system compatible | Genuine Windows® XP Professional Genuine Windows Vista® Business 32-bit | | | |
| Operating system | Genuine Windows® 7 Professional 64-bit | | | |
| Operating system | | | | |
| | *Processor only for retail, SMB, education and government | | | |
| | Intel® Celeron® processor P4600 (2.00 GHz, 2 MB) | | | |
| | Intel® Core™ i3-370M processor (2.40 GHz, 3 MB) * | | | |
| | Intel® Core™ i3-380M processor (2.53 GHz, 3 MB) * | | | |
| | Intel® Core™ i5-460M processor (2.53 GHz, 3 MB) * | | | |
| | Intel® Core™ i5-560M processor (2.66 GHz, 3 MB) | | | |
| Processor | Intel® Core™ i7-640M processor (2.80 GHz, 4 MB) | | | |

Page 2 / 7

| General system information | | | | | |
|---|---|---|--|--|--|
| Chipset | Intel® QM57 | | | | |
| Chipset notes | supports iAMT 6.0, vPro requires Core i5-5xx / i7 processor, Intel W-LAN & TPM module | | | | |
| BIOS features | BIOS based on Phoenix TrustedCore Notebook | | | | |
| Graphics | | | | | |
| TFT resolution (DisplayPort) | up to 2560 x 1600 | | | | |
| TFT resolution (VGA) | up to 1920 x 1200 | | | | |
| TFT resolution (DVI on Port Replicator) | up to 1920 x 1200 | | | | |
| Graphics brand name | Intel® HD Graphics | | | | |
| Graphics features | DualView | | | | |
| Graphics notes | Shared memory depending on main memory size and operating system | | | | |
| Shared video memory | up to 1695 MB | | | | |
| Interfaces | | | | | |
| Memory card slots | 1 (SD/MS/MSPro) | 1 (SD/MS/MSPro) | | | |
| ExpressCard slots | 1 (34mm and 54mm supported) | 1 (34mm and 54mm supported) | | | |
| SmartCard slot | 1 | 1 | | | |
| SIM card slot | 1 (usable only with 3G/UMTS) | 1 (usable only with 3G/UMTS) | | | |
| Modem (RJ-11) | 1 (optional) | 1 (optional) | | | |
| eSATA | 1 | 1 | | | |
| USB 2.0 total | 3 | 3 | | | |
| FireWire (IEEE1394) | 1 | 1 | | | |
| VGA | 1 | 1 | | | |
| DisplayPort | 1 | 1 | | | |
| Ethernet (RJ-45) | 1 | 1 | | | |
| DC-in | 1 | 1 | | | |
| Audio: line-in / microphone | 1 | 1 | | | |
| Audio: line-out / headphone | 1 | 1 | | | |
| Internal microphones | 2 digital array microphones | 2 digital array microphones | | | |
| Docking connector for Port Replicator | 1 | 1 | | | |
| Kensington Lock support | 1 | 1 | | | |
| Wired communication | | | | | |
| Modem type | Optional: 56 K V.92 modem MDC1.5 | | | | |
| LAN | Built-in 10/100/1000 MBit/s Intel® 82577 LM | | | | |
| Keyboard and pointing devices | | | | | |
| <u> </u> | Spill-resistant keyboard | | | | |
| | Number of keyboard keys: 85, Keyboard pitch: 19 mm | , Keyboard stroke: 2.7 mm | | | |
| | EcoButton | EcoButton | | | |
| | Fingerprint sensor | LockWorkstation button | | | |
| | MobilityCenter button | MobilityCenter button | | | |
| | LockWorkstation button | TouchStick (optional) | | | |
| | TouchStick (optional) | Touchpad with two mouse buttons and one scroll button | | | |
| | Touchpad with two mouse buttons and scroll via | Application buttons | | | |
| | fingerprint sensor Application buttons | Status LED | | | |
| | Status LED | | | | |
| Multimedia | | | | | |
| Audio type | On board | | | | |
| Audio codec | Realtek ALC269 | | | | |
| Audio features | Stereo speakers, 2x digital array microphones | | | | |
| Camera | Optional: Built-in webcam, 1.3 megapixel, VGA camer | а | | | |
| Power supply | | | | | |
| AC adapter | 19 V / 80 W (4.22 A) | | | | |
| nc auaptei | 15 ¥ 1 00 W (4.22 M) | | | | |

Page 3 / 7

| Power supply | | | |
|--|---|--|--|
| Rated voltage range | 100 V - 240 V (AC Input) | | |
| Rated frequency range | 50 Hz - 60 Hz | | |
| 1st battery options | Li-lon battery 6-cell, 5200 mAh, 56 Wh | | |
| | Li-lon battery 6-cell, 5800 mAh, 62 Wh | | |
| 2nd battery (optional) | Li-lon battery 3-cell, 3800 mAh, 41 Wh | | |
| Battery features | Rapid charge with 5200 mAh batteries | | |
| Benchmark | Mobile Mark 2007 (readers mode e.g. surfing the internet, writing E-mails, viewing documents) | | |
| Runtime 1st battery | up to 8:30 h | | |
| Runtime 1st + 2nd battery | up to 14 h | | |
| Battery charging time | ~160min (5,200mAh) ~ 220min (5,800mAh) ~ 160 min (5,200 mAh) ~ 220 min (5,800 mAh) | | |
| Battery notes | Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. | | |
| Related Processors for power consumption | | | |
| Link to Energy White Paper | http://docs.ts.fujitsu.com/dl.aspx?id=0960f71b-ec39-44d1-8743-a80712ac3048 | | |
| Dimensions / Weight / Environmental | | | |
| Dimensions (W x D x H) | 340 x 245 x 35 mm | | |
| Weight | 2.15 kg | | |
| Weight notes | Actual weight may vary depending on configuration | | |
| Operating ambient temperature | 5 - 35C | | |
| Operating relative humidity | 20 - 80 % | | |
| Additional Software | | | |
| Additional software (preinstalled) | Adobe Acrobat Reader Application Panel Display Manager Power Saving Utility Wireless Selector Utility EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Toshiba Stack 4.x (not available for Windows® 7 operating systems) | | |
| Additional software (optional) | Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) SmartCase Logon+ | | |
| Manageability | | | |
| Manageability technology | DeskUpdate Driver management iAMT 6.0 Intel® vPro™ technology | | |
| Manageability software | DeskView 10.x client management including: | | |
| DeskView components | On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN) | | |
| Supported standards | WMI PXE BootP (made4you) | | |
| Manageability link | http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html | | |
| Security | | | |
| System protection | Kensington Lock support | | |

| Security | | | | | | |
|------------------------------------|---|--|---|--|--|--|
| Audit proof protection | Computrace® enabled BIOS | | | | | |
| | Optional: Trusted platform mod | Optional: Trusted platform module (TPM 1.2) | | | | |
| | Norton Internet Security (incl. Firewall) 90 days version | | | | | |
| Access protection | User and supervisor BIOS password | | | | | |
| | • | SystemLock BIOS SmartCard security | | | | |
| | Integrated SmartCard slot | | | | | |
| | Optional: SmartCase Logon+ | | | | | |
| | Hard disk password | | | | | |
| Product | | | | | | |
| Europe | CE | | | | | |
| | CE! | | | | | |
| Global | RoHS (Restriction of hazardous substances) | | | | | |
| | | WEEE (Waste electrical and electronical equipment) | | | | |
| | Microsoft Operating Systems (HCT / HCL entry / WHQL) | | | | | |
| | | WiFi certified | | | | |
| | | ENERGY STAR® 5.0 | | | | |
| c | | EPEAT® Gold (dedicated regions) https://sp.ts.fujitsu.com/sites/certificates/default.aspx | | | | |
| Compliance link | nttps://sp. ts. rujitsu.com/sites/c | ertificates/derault.aspx | | | | |
| Port Replicator interfaces (option | al) | | | | | |
| | | | able kit Port replicator/AC adapter/GB-cable ki | | | |
| DC-in | 1 (19V) | 1 (19V) | 1 (19V) | | | |
| Power on switch | 1 | 1 | 1 | | | |
| Audio: headphone | 1 | 1 | 1 | | | |
| Audio: microphone | 1 | 1 | 1 | | | |
| USB 2.0 total | 4 | 4 | 4 | | | |
| DisplayPort | 1 (up to 2560 x 1600) | 1 (up to 2560 x 1600) | 1 (up to 2560 x 1600) | | | |
| VGA | 1 | 1 | 1 | | | |
| DVI | 1 (up to 1920 x 1200) | 1 (up to 1920 x 1200) | 1 (up to 1920 x 1200) | | | |
| Serial (RS-232) | 1 | 1 | 1 | | | |
| Ethernet (RJ-45) | 1 (10/100/1000) | 1 (10/100/1000) | 1 (10/100/1000) | | | |
| Parallel | 1 | 1 | 1 | | | |
| Kensington Lock support | 2 | 1 | 1 | | | |
| eSATA | 1 | 1 | 1 | | | |
| Warranty | | | | | | |
| Standard Warranty | 1 year | | | | | |
| Service level | Collect & Return Service / Bring | -In Service (depending on country) | | | | |
| Maintenance and Support Service | | | | | | |
| Recommended Service | 5x9, Response Time: Next Business Day or On-site Service | | | | | |
| Spare Parts availability | 5 years | | | | | |
| spare rands aramas mit | | | | | | |













Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\UK-Cable Kit)



Flexibility, expandability, desktop replacement to name just a few benefits Order Code: of Fujitsu docking options.

S26391-F516-L200

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



Flexibility, expandability, desktop replacement to name just a few benefits Order Code: of Fujitsu docking options.

S26391-F516-L100

2nd battery



With a second battery you can maximize the working time of your notebook Order Code: and work wherever you want for a whole working day. Just put the 2nd S26391-F440-L200 battery into the modular bay and enjoy truly mobile working free from the power socket!

Privacy □Iter



Privacy filters help block the screen view from anyone viewing the computer Order Code: from a side view. 3M's unique microlouver privacy technology allows S26391-F6097-L115 persons directly in front of the computer to see on-screen data clearly. 3M

ComboSaver



Protect your notebook-and the personal information you have stored-from theft. Lock it with this easy-to-use, keyless 4-wheel combination lock from Kensington, the leader in notebook security. .

offers the broadest line of computer filters available.

Order Code: S26361-F1650-L500

Prestige Case Midi



Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment \$26391-F119-L60 with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap an the back side For Tablet PC and Notebooks up to 370 x 295 x 50 mm

Order Code:

Presenter IV Air



Do you often give presentations? Would you like to communicate pro actively with your audience during your presentations? Step up to the plate S26381-K440-L100 and make use of your freedom of movement with the Presenter IV Air Whether you're leafing through informative material, adjusting audio files or using the laser pointer to indicate special features, you have everything reliably under control with this presenter.

Thanks to the 2D air mouse function you can even do away with the cable mouse and navigate through your files with ease

Order Code:

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S710, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S710, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html Copyright Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-06-01 CF-FN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html

Copyright Fujitsu Technology Solutions