Fujitsu recommends Windows 8 Pro.



Data Sheet Fujitsu CELSIUS H730 Workstation

Workstation Power on-the-Go

If you're a mobile worker looking for a workstation and enhanced productivity, Fujitsu's CELSIUS H730 with an attractive slim design is the ideal device. This 39.6 cm (15.6-inch) mobile workstation with comprehensive ISV certifications combines powerful performance with multiple connectivity options. The modular bay provides individual expandability. Comprehensive protection against security threats like an optional palm vein sensor complete a reliable package.

....

Workstation performance

Higher productivity thanks to mobile workstation performance

■ 4th generation Intel® Core™ i7 & i5 processors with vPro™ technology. Professional NVIDIA® Quadro® graphics with up to 576 CUDA cores

Ultimate security

Peace of mind and data security

■ Optional palm vein or fingerprint sensor, TPM and Advanced Theft Protection

Unlimited connectivity

Online anywhere, anytime

Optional integrated 3G/UMTS, 4G/LTE, Bluetooth® and WLAN

Full flexibility

Equip your system individually

■ Modular bay option for second hard disk drive or second battery

ISV certification

Excellent performance and absolute stability in professional environments

■ Comprehensive certification for workstation applications





Components

Processor	Intel® Core™ i7-4900MQ processor (2.8 GHz, up to 3.8 GHz, 8 MB)
	Intel® Core™ i7-4800MQ processor (2.7 GHz, up to 3.7 GHz, 6 MB)
	Intel® Core™ i7-4700MQ processor (2.4 GHz, up to 3.4 GHz, 6 MB)
	Intel® Core™ i7-4600M processor (2.9 GHz, up to 3.6 GHz, 4 MB)
	Intel® Core™ i5-4300M processor (2.6 GHz, up to 3.3 GHz, 3 MB)
Operating systems	
Operating system	Windows® 7 Professional 64-bit
	Windows 8.1 Pro 64-bit
Operating system compatible	Windows® 7 Professional 32-bit
	Windows® 7 Professional 64-bit
	Windows 8 Pro
	Windows 8.1 Pro
Graphics	Professional 2D: NVIDIA® Quadro® K510M
	Midrange 3D: NVIDIA® Quadro® K1100M
	High-end 3D: NVIDIA® Quadro® K2100M
Memory modules	4 GB (1 module(s) 4 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM
	8 GB (1 module(s) 8 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM
Base unit memory	CELSIUS H730
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	32 GB
Memory slots total	4
Memory slot type	SO DIMM (DDR3)
Memory notes	Memory Slots are depending on processor type. 2 DIMM slots with dual core processors, 4 DIMM slots with quad core
	processor
Hard disk drives (internal)	SSHD SATA III, 5400 rpm, 1000 GB / 8 GB SSD Cache
	SSHD SATA III, 5400 rpm, 750 GB / 8 GB SSD Cache
	SSHD SATA III, 5400 rpm, 500 GB / 8 GB SSD Cache
	SSD SATA III, 512 GB, 2.5-inch, S.M.A.R.T.
	SSD SATA III, 256 GB, 2.5-inch, S.M.A.R.T., FDE
	SSD SATA III, 256 GB, 2.5-inch, S.M.A.R.T.
	SSD SATA III, 128 GB, 2.5-inch, S.M.A.R.T., FDE
	SSD SATA III, 128 GB, 2.5-inch, S.M.A.R.T.
	HDD SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
WLAN (optional)	Intel® Dual Band Wireless-AC 7260 IEEE802.11 a/b/g/n + Bluetooth V4.0 (WilkinsPeak2)
	Import and usage according to country-specific regulations.
	Intel® Wireless-N 7260 IEEE802.11 b/g/n + Bluetooth V4.0 (WilkinsPeak2)
	Import and usage according to country-specific regulations.
3G/4G (optional)	Sierra Wireless AirPrime® EM8805 HSPA+ (UMTS module)
	Sierra Wireless AirPrime® EM7305 LTE/HSPA+ (LTE/UMTS module)
 Display	39.6 cm (15.6-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel, 300:1, 220 cd/m²
	2nd Battery, 2nd hard disk drive, Blu-ray RW drive, Dual-Layer Super-Multi Drive, Weight saver
	zwe zemeny, zwe new elektronic, elektronic, elektronic, elektronic, melginesater
Base unit	CELSIUS H730

Page 2 / 6 www.fujitsu.com/fts/CELSIUS

Chiasak	Jakal® OMO7
Chipset	Intel® QM87
BIOS features	BIOS based on Phoenix SecureCore
Graphics	
Base unit	CELSIUS H730
Max. resolution external display	2560 x 1600 pixel via DisplayPort and Dual Link DVI
Graphics features	DualView
Graphics card notes	NVIDIA® Quadro® K510M: 192 CUDA Cores
	NVIDIA® Quadro® K1100M: 384 CUDA Cores
	NVIDIA® Quadro® K2100M: 576 CUDA Cores
Dedicated video memory	1/2 (GDDR5 VRAM)
Interfaces	
DC-in	
Audio: line-in / microphone	1
Audio: line-out	1
Internal microphones	2 digital array microphones
USB 2.0 total	1
USB 3.0 total	3
VGA	1
DisplayPort	1
Ethernet (RJ-45)	1
SmartCard slot	1
SIM card slot	1 (CD/CDU/C) CD 3CD CDU/C) : CDU/C 33CD CDVC C/CD
Multicardreader	1 (SD/SDHC) SD/microSD = 2GB, SDHC/micro SDHC = 32GB, SDXC = 64GB
Interface Module notes	1x Kensington Lock support, 1x Docking connector
Wired communication	
LAN	10/100/1000 MBit/s Intel® I217LM
Keyboard	
	Touchpad with three mouse buttons
	EcoButton
	LockWorkstation button MobilityCenter Button
	Fingerprint sensor
Input devices (optional)	TouchStick
Multimedia	
Audio type	On board
Audio codec	Realtek ALC3232/ALC282-CG (HDAudio) with DTS support
Audio features	Stereo speakers, 2 digital microphones
Power supply	
AC adapter	19 V / 150 W (7.89 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
. , ,	
Dimensions / Weight / Environmental Dimensions (W x D x H)	379.8 x 257.0 x 35.5 mm
Weight	2.9 kg
Weight notes	Actual weight may vary depending on configuration
Operating ambient temperature	5 - 35 °C
Operating relative humidity	20 - 80 % (relative humidity, non-condensing)
operating relative numbers	20 00 % field the finding from condensing)

Page 3 / 6 www.fujitsu.com/fts/CELSIUS

Additional Software	
Additional software (preinstalled)	Adobe® Reader® (pdf reader) McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version)
	Fujitsu Display Manager
	EasyGuide online user documentation
	Power Saving Utility ShockSensor Utility
	SmartAccess
	Fujitsu Plugfree Network (network management utility)
	Intel® SBA (manageability suite for local administration)
	DTS® Sound Enhance Software
	Fujitsu Application Button Utility
	Fujitsu DeskUpdate (Driver and Utility tool)
	Microsoft Office (buy license to activate the pre-installed Microsoft Office)
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
- V-F /	UMTS connection manager (optional with UMTS)
——————————————————————————————————————	
Manageability technology	DeskUpdate Driver management
	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	iAMT Intel® Active Manageability Technology v9.0 (not activated, not set up)
	Intel® vPro™ technology
	WoL (Wake on LAN)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management Alarm Management
Supported standards	WMI
Supported Standards	PXE
	BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/solutions/high-tech/dynamic-infrastructure/solutions/workplace/manageability/feature-
	finder.html
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Advanced Theft Protection
	Computrace® enabled BIOS
	Optional: Trusted platform module (TPM 1.2)
	EraseDisk (optional)
	Write protect option for the Flash EPROM
User Security	Integrated Fingerprint Sensor
	Integrated PalmVein Sensor
	Separate SmartCard slot
	Hard disk password
	User and supervisor BIOS password
	Preboot Authentification with SystemLock 3

Page 4 / 6 www.fujitsu.com/fts/CELSIUS

Compliance	
Product	CELSIUS H730
Germany	GS
Europe	CE Marking
USA/Canada	cULus
	FCC Class B part 15C/E + 22 + 24 (depending on wireless
	configuration)
Global	RoHS (EU & China)
	Medical EMC standard IEC60601-1-2 in combination with
	medical kit
	ENERGY STAR® in progress
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Port Replicator interfaces (optional)	
DC-in	1
Audio: line-in	1
Audio: line-out	1
USB 3.0 total	4
DisplayPort	2
VGA	1
DVI	1
Ethernet (RJ-45)	1
Kensington Lock support	1
eSATA	1
Warranty	
Standard Warranty	3 years (depending on country)
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Maintenance and Support Services - th	
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Page 5 / 6 www.fujitsu.com/fts/CELSIUS

More information

Fujitsu platform solutions

In addition to Fujitsu CELSIUS H730, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu CELSIUS H730, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/CELSIUS

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2013-11-27 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions